

## SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier	
	Product Name	NEOCOL B – AEROSOL.
	CAS No.	Mixture.
	EINECS No.	Mixture.
	REACH Registration No.	None assigned.
1.2	Relevant identified uses of the substance or	
	mixture and uses advised against	
	Identified use(s)	A Black Magnetic Ink for use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2:2002).
	Uses advised against	None known.
1.3	Details of the supplier of the Safety Data	
	Sheet	
	Company Identification	Johnson and Allen Ltd
		Neocol Works
		Smithfield
		Sheffield
		S3 7AR.
	Telephone	0114 2738066.
	Fax	0114 2729842.
	E-Mail (competent person)	info@johnsonandallen.co.uk
1.4	Emergency telephone number	
	Emergency Phone No.	0114 2738066. (UK office hours 08.30-17.00).

#### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)

container: May burst if heated. Asp. Tox. 1; May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.

Aerosol 1; Extremely flammable aerosol. Pressurised

2.2 Label elements Product Name Hazard Pictogram

> Signal word(s) Hazard statement(s)

According to Regulation (EC) No. 1272/2008 (CLP) NEOCOL B – AEROSOL.



GHS02 GHS08 Danger. H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking.



Precautionary statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use.
	P410+P412: Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331: Do NOT induce vomiting.

#### 2.3 Other hazards

None.

2.4 Additional Information

For full text of H/P Statements see section 16.

#### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Hydrocarbons, C12- C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	>90	None assigned	920-107-4	01-2119453414- 43-0001	GHS08, Asp. Tox. 1; H304, EUH066
Carbon dioxide	1-10	124-38-9	204-696-9	None assigned	GHS04, Press. Gas; H280
Triiron tetraoxide	<1	1317-61-9	215-277-5	01-2119457646- 28-0000	None

#### 3.3 Additional Information

For full text of H/P Statements see section 16.

#### 4. SECTION 4: FIRST AID MEASURES



4.1

Description of first aid measures	
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.
Skin Contact	Wash with plenty of soap and water. Remove contaminated clothing and wash clothing before reuse. If symptoms persist, obtain medical attention.
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.
Ingestion	IF SWALLOWED: Do NOT induce vomiting. Immediately call



#### a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Repeated exposure may cause skin dryness or cracking. Unlikely to be required but if necessary treat symptomatically.

containers cool by spraying with water if exposed to fire.

#### 5. SECTION 5: FIRE-FIGHTING MEASURES

Flammable aerosol. Pressurised container: May burst if heated.

5.1 **Extinguishing Media** Suitable Extinguishing Media Extinguish with waterspray, foam or dry chemical. Unsuitable Extinguishing Media None known. 5.2 Special hazards arising from the substance or Heating may cause pressure rise with risk of bursting. mixture 5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep

#### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1	Personal precautions, protective equipment	Ensure adequate ventilation. Wear suitable gloves and
	and emergency procedures	eye/face protection.
6.2	Environmental precautions	Do not release large quantities into the surface water or into drains.
6.3	Methods and material for containment and	Collect mechanically and dispose of according to Section 13.
	cleaning up	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by
		burning, even when empty.
6.4	Reference to other sections	See Also Section 8 and 13

#### 6.4 Reference to other sections

#### 7. SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Provide adequate ventilation. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke during work. Wash hands thoroughly after handling.
7.2	Conditions for safe storage, including any incompatibilities	Store locked up. Protect from sunlight.
	Storage Temperature	Ambient. Do not expose to temperatures exceeding 50°C/ 122°F.
	Storage Life	Stable under normal conditions.
	Incompatible materials	Strong oxidising agents, Natural rubber, Polystyrene, Butyl rubber.
7.3	Specific end use(s)	A Black Magnetic Ink for use in the Magnetic Particle



#### Inspection Process (BS EN ISO 9934-2:2002).

#### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Carbon dioxide	124-38-9	5000	9150	15000	27400	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2	Biological limit value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2 8.2.1 8.2.2	Exposure controls Appropriate engineering controls Personal protection equipment Eye/face protection	Provide adequate ventilation. Wear suitable eye/face protection.
	Skin protection (Hand protection/ Other)	Wear suitable protective clothing and gloves.
	Respiratory protection	Not normally required. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. During spraying wear suitable respiratory equipment: A
	Thermal hazards	suitable mask with filter type A (EN14387 or EN405) may be appropriate. Use a respirator/filter with at least: PF10: 10 x Protection Factor. Not applicable.
8.2.3	Environmental Exposure Controls	Do not release large quantities into the surface water or into

Do not release large quantities into the surface water or into drains.

#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical
  - properties Appearance Aerosol. Colour Dark grey/ Black (Shaken). Odour Paraffinic. Odour Threshold Not available. pН Not applicable. Melting Point/Freezing Point Not applicable. Initial boiling point and boiling range 235 - 270°C Flash Point >100°C Evaporation rate Not applicable. Flammable aerosol. Flammability (solid, gas) Upper/lower flammability or explosive limits Not applicable.



9.2

## **NEOCOL B - AEROSOL**

Vapour pressure Vapour density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Kinematic Viscosity Explosive properties Oxidising properties Other information

0.015 mm Hg @ 20°C Not available. 0.82 Immiscible with water. Not available. Not applicable. Not available. 3.2cSt @ 40°C Not explosive. Not oxidising. None.

#### **10. SECTION 10: STABILITY AND REACTIVITY**

10.1 10.2 10.3	Reactivity Chemical stability Possibility of hazardous reactions	Stable under normal conditions. Stable under normal conditions. No hazardous reactions known if used for its intended
10.4	Conditions to avoid	purpose. Heat and direct sunlight.
10.5	Incompatible materials	Strong oxidising agents, Natural rubber, Polystyrene, Butyl rubber.
10.6	Hazardous Decomposition Product(s)	No hazardous decomposition products known.

#### **11. SECTION 11: TOXICOLOGICAL INFORMATION**

11.1	Information on toxicological effects Acute toxicity	
	Ingestion	Low acute toxicity.
		Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <
		2% aromatics: LD50 (rat): > 5000mg/kg (OECD401).
	Inhalation	Low acute toxicity.
		Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <
		2% aromatics: LC50 (rat) 4hour(s): > 4951mg/m <sup>3</sup>
		(OECD403).
	Skin Contact	Low acute toxicity.
		Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <
		2% aromatics: LD50 (rabbit): > 5000mg/kg (OECD402).
	Eye Contact	Low acute toxicity.
	Skin corrosion/irritation	Repeated exposure may cause skin dryness or cracking.
	Serious eye damage/irritation	Non-irritant.
	Respiratory or skin sensitisation	Not expected to be a skin or respiratory sensitiser.
	Germ cell mutagenicity	There is no evidence of mutagenic potential.
	Carcinogenicity	No evidence of carcinogenicity.
	Reproductive toxicity	None anticipated.
	STOT - single exposure	Not classified.
	STOT - repeated exposure	Not classified.
	Aspiration hazard	May be fatal if swallowed and enters airways. Aspiration into the lungs may cause chemical pneumonitis, which can be fatal.
11.2	Other information	None.

#### **12. SECTION 12: ECOLOGICAL INFORMATION**

12.1	Toxicity	Low toxicity to aquatic organisms.
12.2	Persistence and degradability	The product is not biodegradable. There is evidence of
		photodegradation in air. The product is unlikely to persist in the environment.



12.3 **Bioaccumulative potential** The product has potential for bioaccumulation. 12.4 Mobility in soil Immiscible with water. The product is predicted to have low mobility in soil. The product is volatile and will partition into the atmosphere. Higher molecular weight hydrocarbons: The substance may adsorb onto soils and sediments. 12.5 **Results of PBT and VPVB assessment** Not classified as PBT or vPvB. Other adverse effects 12.6 None. **13. SECTION 13: DISPOSAL CONSIDERATIONS** 

		Livinono
13.1	Waste treatment methods	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an
13.2	Additional Information	approved waste disposal facility. Refer to manufacturer for information on recovery/recycling. Do NOT landfill. Disposal should be in accordance with local, state or
		national legislation.

#### **14. SECTION 14: TRANSPORT INFORMATION**

14.1	UN number	UN1950
14.2 14.3	UN Proper Shipping Name	AEROSOLS, Flammable.
14.5	Transport hazard class(es) ADR/RID Class	2
	IMDG Class	2
	ICAO/IATA	
		2.1
	Passenger and Cargo Aircraft Limited Quantities	¥200
	Packing Instructions	Y203
	Passenger and Cargo Aircraft Limited Quantities	20 km C
	Max net Qty	30 kg G
	Cargo Aircraft Packing Instructions	203 450 km
	Cargo Aircraft Max net Qty	150 kg
	Emergency Response Guidebook (ERG) Code	10P
	ADR Classification Code	5F
	IMDG EMS	F-D, S-U
	Packing Group	Not applicable
	Labels	2.1
	Special Provisions	190 327 344 625
	Limited Quantities (LQ) Inner packaging	1 L
14.4	Environmental hazards	Not classified as a Marine Pollutant.
14.5	Special precautions for user	
	Tunnel Restriction Code	D
14.6	Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.

#### **15. SECTION 15: REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.1.1 **EU** regulations Authorisations and/or restrictions on use



Candidate List of Substances of Very High Concern for Authorisation	All chemicals are not listed.
REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	All chemicals are not listed.
REACH: ANNEX XIV List of substances subject to authorisation	All chemicals are not listed.
REACH: ANNEX IV Exemptions from the Obligation to Register in accordance with Article 2(7)(a)	Listed: Carbon dioxide (CAS No.: 124-38-9)
Community Rolling Action Plan (CoRAP) National regulations Chemical Safety Assessment	All chemicals are not listed. None known. Not applicable.

#### **16. SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 14

#### LEGEND

15.1.2 15.2

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
OECD	Organisation for Economic Cooperation and Development
Aerosol 1	Aerosol Category 1
Press. Gas	Gases under pressure: Compressed gas
Asp. Tox. 1	Aspiration hazard Category 1

#### Hazard statement(s) and Precautionary statement(s)

H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state or national legislation.

## Hazard pictogram(s)

GHS04



GHS08



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

#### Annex to the extended Safety Data Sheet (eSDS)

Not applicable.

